

375 H&H Magnum

Case: Jamison

Primer: Federal 215

Case Trim: 2.840"

Barrel Length: 24"

Twist Rate: 1:12"

Barrel: Krieger

Maximum Loads Should Be Used With Caution - Always Start With Minimum Loads.

^aRecommended Load

^cCompressed Load

375 H&H Magnum



235-grain TSX FB
Sectional Density .239
Ballistic Coefficient .270
C.O.A.L 3.570"

Suggested Bullet Use



Powder	Minimum		Maximum	
	Charge (grains)	Velocity (fps)	Charge (grains)	Velocity (fps)
Win 748	76.7	2805	85.2 ^c	3051
H4895	67.0	2732	74.5	2946
IMR 4895	71.1	2755	79.0 ^c	2998
Varget	70.7	2736	78.6 ^c	2973
A-2520	70.6	2766	78.4	2993
*RL 15	73.4	2757	81.5 ^c	3001



250-grain TTSX BT
Sectional Density .254
Ballistic Coefficient .424
C.O.A.L 3.590"

Suggested Bullet Use



Powder	Minimum		Maximum	
	Charge (grains)	Velocity (fps)	Charge (grains)	Velocity (fps)
*Varget	66.3	2587	73.7 ^c	2821
RL 15	69.0	2603	76.7 ^c	2863

Maximum Loads Should Be Used With Caution - Always Start With Minimum Loads.

Recommended Load

^c Compressed Load

375 H&H Magnum



270-grain TSX FB
 Sectional Density .274
 Ballistic Coefficient .326
 C.O.A.L 3.570"

Suggested Bullet Use



Powder	Minimum		Maximum	
	Charge (grains)	Velocity (fps)	Charge (grains)	Velocity (fps)
Win 748	70.3	2526	78.1 ^c	2767
H4895	62.9	2466	69.9	2674
IMR 4895	66.5	2496	73.9 ^c	2738
Varget	66.2	2498	73.5 ^c	2715
A-2520	64.9	2505	72.2	2709
Big Game	76.0	2641	84.5 ^c	2841
*RL 15	67.9	2494	75.5 ^c	2725



300-grain TSX FB
 Sectional Density .305
 Ballistic Coefficient .357
 C.O.A.L 3.570"

Suggested Bullet Use



Powder	Minimum		Maximum	
	Charge (grains)	Velocity (fps)	Charge (grains)	Velocity (fps)
Win 748	67.0	2361	74.4 ^c	2599
Varget	62.8	2322	69.8 ^c	2545
IMR 4064	63.1	2289	70.1 ^c	2535
IMR 4320	62.1	2277	69.0	2514
Big Game	70.6	2436	78.4 ^c	2642
*RL 15	67.5	2374	75.0 ^c	2612

Maximum Loads Should Be Used With Caution - Always Start With Minimum Loads.

^{*}Recommended Load

^cCompressed Load