



*Recommend crimping case mouth into the front cannelure groove.

◆ Indicates most accurate loads

.416 Remington Magnum

Bullet Weight: 350 gr **Case Trim Length:** 2.840" **S.D.** 0.289
Bullet Style: Banded Solid **Primer:** Fed GM215M **B.C.** 0.364
COAL: 3.580" **Barrel Length:** 24"
Case: Hornady **Twist Rate:** 1:14"

Powder	Minimum		Maximum		
	Charge (grains)	Velocity (fps)	Charge (grains)	Velocity (fps)	Load Density (%)
◆ Varget	80.5	2572	86.5	2721	105
AA 2520	83.0	2581	90.0	2746	98

Bullet Weight: 350 gr **Case Trim Length:** 2.840" **S.D.** 0.289
Bullet Style: TSX FB **Primer:** Fed GM215M **B.C.** 0.345
COAL: 3.590" **Barrel Length:** 24"
Case: Hornady **Twist Rate:** 1:14"

Powder	Minimum		Maximum		
	Charge (grains)	Velocity (fps)	Charge (grains)	Velocity (fps)	Load Density (%)
◆ VIT N135	71.5	2319	77.5	2506	98
Varget	77.5	2446	83.5	2627	105

Bullet Weight: 400 gr **Case Trim Length:** 2.840" **S.D.** 0.33
Bullet Style: Banded Solid **Primer:** Fed GM215M **B.C.** 0.388
COAL: 3.580" **Barrel Length:** 24"
Case: Hornady **Twist Rate:** 1:14"

Powder	Minimum		Maximum		
	Charge (grains)	Velocity (fps)	Charge (grains)	Velocity (fps)	Load Density (%)
Varget	72.5	2314	78.5	2471	101
◆ AA 2520	76.5	2346	82.5	2500	96

.416 Remington Magnum

Bullet Weight: 400 gr

Bullet Style: TSX FB

COAL: 3.590"

Case: Hornady

Case Trim Length: 2.840"

Primer: Fed GM215M

Barrel Length: 24"

Twist Rate: 1:14"

S.D. 0.330

B.C. 0.392

Powder	Minimum		Maximum		
	Charge (grains)	Velocity (fps)	Charge (grains)	Velocity (fps)	Load Density (%)
♦ AA 2520	73.0	2204	79.0	2384	97
RL 15	71.0	2217	77.0	2385	105
