


# 7mm-08 Remington

Case: Remington	Primer: Federal 210
Case Trim: 2.025"	Barrel Length: 24"
Twist Rate: 1:9.5"	Barrel: Bartlein



Maximum Loads Should Be Used With Caution - Always Start With Minimum Loads.

*\*Recommended Powder*

<sup>°</sup> Compressed Load

## 7mm-08 Remington



110-grain TTSX FB  
Sectional Density .195  
Ballistic Coefficient .319  
C.O.A.L 2.800"

Suggested Bullet Use



Powder	Minimum		Maximum	
	Charge (grains)	Velocity (fps)	Charge (grains)	Velocity (fps)
Win 748	44.6	3008	49.6 <sup>c</sup>	3291
BL-C(2)	45.2	3008	50.2 <sup>c</sup>	3297
*Varget	41.0	2906	45.6 <sup>c</sup>	3196
IMR 4064	41.2	2831	45.8 <sup>c</sup>	3136
A-2520	44.3	2999	49.2 <sup>c</sup>	3269
IMR 4320	41.7	2836	46.3 <sup>c</sup>	3190
RL 15	42.8	2969	47.5 <sup>c</sup>	3248



120-grain TSX BT  
Sectional Density .213  
Ballistic Coefficient .349  
C.O.A.L 2.735"

Suggested Bullet Use



120-grain TTSX BT  
Sectional Density .213  
Ballistic Coefficient .373  
C.O.A.L 2.800"



Powder	Minimum		Maximum	
	Charge (grains)	Velocity (fps)	Charge (grains)	Velocity (fps)
Win748	41.9	2820	46.5	3129
BL-C(2)	43.1	2839	47.8 <sup>c</sup>	3158
CFE 223	43.5	2894	48.4 <sup>c</sup>	3196
H4895	38.5	2778	42.8 <sup>c</sup>	3060
IMR 4895	40.6	2805	45.2	3109
*Varget	39.5	2769	43.9	3052
IMR 4064	39.6	2692	43.9	2995
A-2520	42.3	2871	47.0	3119
RL 15	41.1	2826	45.7	3116
Power Pro 2000MR	43.6	2820	48.5 <sup>c</sup>	3143

Maximum Loads Should Be Used With Caution - Always Start With Minimum Loads.

\*Recommended Powder

<sup>c</sup> Compressed Load

## 7mm-08 Remington



140-grain TSX BT  
Sectional Density .248  
Ballistic Coefficient .394  
C.O.A.L 2.735"

Suggested Bullet Use



140-grain TTSX BT  
Sectional Density .248  
Ballistic Coefficient .412  
C.O.A.L 2.800"



Powder	Minimum		Maximum	
	Charge (grains)	Velocity (fps)	Charge (grains)	Velocity (fps)
BL-C(2)	39.7	2559	44.1	2854
CFE 223	39.9	2590	44.3	2886
Varget	37.1	2532	41.2	2779
IMR 4064	37.3	2493	41.4	2738
A-2520	40.8	2704	45.3	2936
*Big Game	44.2	2664	49.1 <sup>c</sup>	2910
RL 15	38.3	2576	42.5	2817
A-2700	43.7	2661	48.5 <sup>c</sup>	2939
Power Pro 2000MR	41.7	2660	46.4 <sup>c</sup>	2933
RL 17	43.0	2618	47.8 <sup>c</sup>	2911



145-grain LRX BT  
Sectional Density .257  
Ballistic Coefficient .486  
C.O.A.L 2.800"

Suggested Bullet Use



Powder	Minimum		Maximum	
	Charge (grains)	Velocity (fps)	Charge (grains)	Velocity (fps)
BL-C(2)	40.0	2516	44.4 <sup>c</sup>	2816
CFE 223	39.9	2544	44.4	2823
VARGET	36.3	2550	40.4	2771
IMR 4064	36.8	2461	40.9	2741
A-2520	40.4	2644	44.9 <sup>c</sup>	2861
Big Game	43.4	2600	48.2 <sup>c</sup>	2846
RL 15	37.7	2494	41.9	2736
Power Pro 2000MR	41.4	2585	46.0 <sup>c</sup>	2870
H414	41.8	2519	46.5 <sup>c</sup>	2802
*RL 17	41.8	2576	46.5 <sup>c</sup>	2871

Maximum Loads Should Be Used With Caution - Always Start With Minimum Loads.

\*Recommended Powder

<sup>c</sup> Compressed Load

## 7mm-08 Remington



150-grain TSX BT  
Sectional Density .266  
Ballistic Coefficient .408  
C.O.A.L 2.735"

Suggested Bullet Use



150-grain TTSX BT  
Sectional Density .266  
Ballistic Coefficient .450  
C.O.A.L 2.800"

Suggested Bullet Use



Powder	Minimum		Maximum	
	Charge (grains)	Velocity (fps)	Charge (grains)	Velocity (fps)
BL-C(2)	38.9	2454	43.3	2746
CFE 223	39.2	2496	43.6	2760
IMR 4064	36.6	2449	40.6	2691
A-2520	40.2	2571	44.7	2792
Big Game	43.0	2580	47.7 <sup>c</sup>	2839
RL 15	36.9	2465	41.0	2681
H414	41.2	2505	45.8 <sup>c</sup>	2769
*Power Pro 2000MR	40.7	2533	45.2	2815



160-grain TSX FB  
Sectional Density .283  
Ballistic Coefficient .392  
C.O.A.L 2.735"

Suggested Bullet Use



Powder	Minimum		Maximum	
	Charge (grains)	Velocity (fps)	Charge (grains)	Velocity (fps)
BL-C(2)	37.8	2293	42.0	2575
CFE 223	37.5	2330	41.6	2589
IMR 4064	35.2	2303	39.1	2530
A-2520	38.7	2420	43.0	2639
*Big Game	41.8	2418	46.5 <sup>c</sup>	2678
RL 15	34.9	2286	38.8	2501
Power Pro 2000MR	39.3	2392	43.7	2664
H414	40.5	2399	45.0 <sup>c</sup>	2639
RL 17	40.7	2415	45.2 <sup>c</sup>	2680

Maximum Loads Should Be Used With Caution - Always Start With Minimum Loads.

\*Recommended Powder

<sup>c</sup> Compressed Load

# 7mm-08 Remington



171-grain Match Burner  
 Sectional Density .303  
 Ballistic Coefficient .645  
 C.O.A.L 2.800"

Suggested Bullet Use



Powder	Minimum		Maximum	
	Charge (grains)	Velocity (fps)	Charge (grains)	Velocity (fps)
BL-C(2)	38.4	2318	42.6	2595
CFE 223	38.1	2341	42.3	2605
IMR 4064	36.1	2378	40.1	2581
Big Game	41.0	2429	45.5 <sup>c</sup>	2647
A-2700	40.6	2377	45.1 <sup>c</sup>	2657
IMR 4007SSC	40.1	2366	44.5 <sup>c</sup>	2625
Power Pro 2000MR	39.2	2385	43.6	2647
*H414	40.8	2354	45.3 <sup>c</sup>	2639
RL 17	39.3	2349	43.6 <sup>c</sup>	2635

Maximum Loads Should Be Used With Caution - Always Start With Minimum Loads.

\*Recommended Powder

<sup>c</sup> Compressed Load